





7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

ПвЭАкВнг-15 1х70 ТУ У 31.3-00214534-017-2003

Single-core power cables with copper conductor, flame-retardant, with XLPE, aluminium-wire armoured, with PVC compound outer sheath

Due to non-magnetic armour, cables operate at AC Technical cable requirements correspond to IEC 60502-2

Cables are used for laying:

- · in places, where small mechanical impacts on cable are possible, including tensile forces
- in premises, tunnels, ducts, mines, dry soil and outdoor under shelter
- · in bunches

It is possible to manufacture cables with an integrated fiber-optic module.

Order entry example:

ПвЭАкВнг-15 1х70/16 (ОМ) ТУ У 31.3-00214534-017-2003

In conjunction with the DTS system, the integrated fiber-optic module can act as a distributed cable line temperature sensor.

It is possible to manufacture cable with sealed conductor.

Order entry example:

ПвЭАкВнг-15 1х70/16 (г) ТУ У 31.3-00214534-017-2003

Fire safety code in accordance with ДСТУ 4809:2007: ПБ120000000

Products of this mark meet the requirements:

- · single wire cable flame retardance
- · bunched cable flame retardance category A







7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

ПвЭАкВнг-15 1х70 ТУ У 31.3-00214534-017-2003

Single-core power cables with copper conductor, flame-retardant, with XLPE, aluminium-wire armoured, with PVC compound outer sheath

TECHNICAL SPECIFICATIONS

Maximum voltagekV17.5Number and rated area of conductorsmm²1 x 70Insulation thiknessmm4.5Minimum screen cross-sectionmm²16Permissible short circuit current across the screen of minimum cross-sectionkA3.3Maximum permissible short-circuit current in corekA10Permissible continious current rating *• by aerial laying in trefoil formationA296• by aerial flat layingA356• by burial in trefoil formationA239• by burial flatA246Partial discharge factor for rated voltage, not more thanpC6
Insulation thikness mm 4.5 Minimum screen cross-section mm² 16 Permissible short circuit current across the screen of kA 3.3 minimum cross-section Maximum permissible short-circuit current in core kA 10 Permissible continious current rating * • by aerial laying in trefoil formation A 296 • by aerial flat laying A 356 • by burial in trefoil formation A 239 • by burial flat • by burial flat A 246
Minimum screen cross-section mm² 16 Permissible short circuit current across the screen of kA 3.3 minimum cross-section Maximum permissible short-circuit current in core kA 10 Permissible continious current rating * • by aerial laying in trefoil formation A 296 • by aerial flat laying A 356 • by burial in trefoil formation A 239 • by burial flat • by burial flat A 246
Permissible short circuit current across the screen of minimum cross-section Maximum permissible short-circuit current in core kA 10 Permissible continious current rating * • by aerial laying in trefoil formation A 296 • by aerial flat laying A 356 • by burial in trefoil formation A 239 • by burial flat A 246
minimum cross-section Maximum permissible short-circuit current in core kA 10 Permissible continious current rating * • by aerial laying in trefoil formation A 296 • by aerial flat laying A 356 • by burial in trefoil formation A 239 • by burial flat A 246
Maximum permissible short-circuit current in core kA 10 Permissible continious current rating * • by aerial laying in trefoil formation A 296 • by aerial flat laying A 356 • by burial in trefoil formation A 239 • by burial flat A 246
Permissible continious current rating * • by aerial laying in trefoil formation A 296 • by aerial flat laying A 356 • by burial in trefoil formation A 239 • by burial flat A 246
 by aerial laying in trefoil formation by aerial flat laying by burial in trefoil formation by burial flat A 239 by burial flat A 246
 by aerial flat laying by burial in trefoil formation by burial flat A 239 By burial flat A 246
 by burial in trefoil formation by burial flat A 239 A 246
• by burial flat A 246
Partial discharge factor for rated voltage, not more than pC 6
Maximum permissible conductor temperature
• Continious °C +90
• in emergency operation °C +130
• at short circuit °C +250
Operating temperature range (in climate version NF) °C -50 +50
Operating temperature range (in climate version T) °C -25 +65
Minimum bending radius by laying mm 592
Rated outer diameter of the cable (for reference) ** mm 37
Cable weight (approximate) kg/km 2040
Rated factory cable length and gross weight of the delivery m, t # 18аУД-40: 1086 • 2.8
on the drums ***

Notes:

When ordering it is neccesary to agree the factory length of the product with the manufacturer

^{*} Long permissible current loads are calculated for the following conditions: conductor temperature 90 °C, air temperature 30 °C, soil temperature 20 °C, thermal resistivity of soil 1.5 °K • m/W, laying depth in the soil 0.8 m, while laying in flat formation the distance between cables in clear is equal to the cable diameter, while laying in trefoil formation cables are laid side by side, shields are earthed on both ends of the line

^{**} The external diameter may differ from the rated up to \pm 10 %

^{***} Отклонение фактической массы брутто от указанного значения может составлять $\pm\,7\,\%$








7, Autogennaya Str., Kharkov, 61099, Ukraine. Phone: (+38-057) 728-1244, 728-1241. Fax: (+38-057) 728-1243, (+38-0572) 946-830 E-mail: market@yuzhcable.com.ua

ПвЭАкВнг-15 1х70 ТУ У 31.3-00214534-017-2003

Single-core power cables with copper conductor, flame-retardant, with XLPE, aluminium-wire armoured, with PVC compound outer sheath



CONSTRUCTION

- Copper multiwire compact conductor
 Note: It is possible to manufacture cable with sealed conductor.
- 2. Inner extruded semiconducting layer
- 3. XLPE insulation
- 4. Outer extruded semiconducting layer
- 5. Lapping layer of semiconductive swellable tape
- 6. Copper screen
- 7. Lapping layer of nonwoven cloth tape
- 8. Extruded bedding of PVC compound
- 9. Aluminium-wire armour
- 10. Low flammable PVC compound outer sheath